

- FOR RESELLER AND INSTALLER -

LiveIn<sup>2</sup><sub>TM</sub>



PEACE OF MIND IN PURSUING YOUR  
CONNECTED EXPERIENCE WITH SIMU


---

LiveIn<sup>2</sup><sub>TM</sub>  
powered by  
**BHz**  
technology

---



**simu**  
Committed to *you*



## EASY TO SELL

LiveIn2 means you can offer to your customers the possibility of controlling their devices from their smartphone or tablet, regardless of whether they are at home or on the move. This is the simplest remote control there is - the one that's always within easy reach!

### CONSISTING OF A BOX AND A DEDICATED MOBILE APP, LIVEIN2 IS:

- a solution that **focuses on the roller shutter's core business**, and has consequently been extended to similar and complementary applications around the home.
- enhanced by its compatibility with a **new BHz radio range** enabling you to offer devices **with information feedback**.
- with **new functions** that will enhance the user experience.

## EASY TO INSTALL

With LiveIn2, every detail has been simplified and designed for you, the professional.

You can carry out a LiveIn2 installation from the mobile application autonomously without having to create an account.

Whether you are a manufacturer in a factory or installing the product in a customer's home, configuring the equipment is very easy.

All the user needs to do then is create their user account and personalise their installation with scenarios, clocks, etc.

### LIVEIN2 APP INCLUDES:


- a **flexible installer mode** enabling you to manage all types of installation.



- help screens** to assist you in configuring equipment and troubleshooting.



LiveIn2 box



connection without an account

by LiveIn2 Wifi key accessory: to pair equipment without using the customer's Internet connection.

by LAN cable: for a known Wifi connection.



LiveIn2 app



# GUARANTEED CONTINUITY AND SCALABILITY

With the LiveIn2 solution, SIMU has opted for strong partnerships to sustain a promise of continuity and scalability for you, the professional, and for the user.

## THE LIVEIN2 SOLUTION INCLUDES:

- Dual embedded technology:** Hz radio and new BHz radio. Your Hz projects are followed and are made compatible with BHz modernisation.
- Functions are upgradeable** thanks to application updates and new peripherals compatible with the LiveIn2 box.



**SENSORS**

The addition of the BHz exterior sun sensor means that you can now create conditions for automating your shutters depending on the level of sunlight.

**CLOCKS**

Automate your devices and scenarios based on pre-determined times.


**NEW**

# GUARANTEED SUPPORT

SIMU is fully committed to assisting you both in selling the solution to the user and for its installation.

**A DEDICATED WEBSITE**  
[www.livein.simu.com](http://www.livein.simu.com)

All the info available online for your customer to find out all about the solution.



A dedicated installer support space with all the info and video tutorials.



A SIMU hotline with the possibility of remote diagnosis.

AND MANY OTHER PERSONALISED SERVICES (TRAINING...)



TRY OUT THE APPLICATION WITH OUR DEMO MODE



NEW



## Bidirectional

### WHAT IS BHz?

This is the new radio range **with information feedback** developed by SIMU, a range based on a reliable and secure technology.

- 868 MHz radio frequency
- With 3 possible frequency bands (automatic selection of the best one)
- Radio installation secured by a unique 128-bit encryption key
- Effective range of 20 metres in a concrete structure

## Benefits

### LIVEIN2 POWERED BY BHz

Thanks to this new range the LiveIn2 smartphone control solution now offers new functions.



**INFORMATION FEEDBACK**  
I can see the status of my BHz shutters from the equipment menu in real time.


**MORE PRECISION**  
I can select the opening setting for my shutter to the preferred position from the control menu.



## HaBits

### Hz CONTINUITY

This new range does not require you to change your installation habits as they remain the same as with Hz radio, whilst the LiveIn2 solution at the centre of the range will ensure the continuity of your projects.



## THE RANGE IN BRIEF



### CONNECTED SOLUTION LIVEIN2

The LiveIn2 connected solution promises to fulfil the **information feedback** function made possible by this new BHz offer.

Enhanced with a complementary offer including a sun sensor and a scenario transmitter enabling you to take even greater advantage of the ease and peace of mind that this control system offers.



### LOCAL CONTROLS

The simple BHz control points, whether mobile or wall-mounted, make it possible to control devices directly with the added benefit of maintaining the design of your installation.




### MOTORS

SIMU's range of BHz motorisations starts with the T3.5 E BHz, T5 E BHz and T5 AUTOSHORT BHz roller shutter motors.



« Controlling my equipment from the application is child's play »




« I can tell if my shutters are properly closed at all times, which is very reassuring »

# USER QUOTES

« I no longer have to worry about my shutters. They open and close at the times and in the conditions I choose »



« I have opted for a long-term investment. I will be able to upgrade my installation at any time »



« I found all the info I needed on the website when personalising my installation »

# Range **SIMU-BHz**<sup>®</sup> technology

## Motors



With feedback



**T3.5 E BHz**  
Torque/Speed  
4/9 Nm - 16 rpm  
13 Nm - 10 rpm

Packaging per  
1/ 10/

Ref. consult us

**T5 E BHz**  
Torque/Speed  
8/10/15/20/25/35 Nm - 17 rpm  
50 Nm - 12 rpm

Packaging per  
1/ 10/ 100/  
50/ adapted OCT60

Ref. consult us

**T5 AUTOSHORT BHz**  
Torque/Speed  
6 Nm - 17 rpm

Packaging per  
1/ Ref 2009224  
10/ Ref 2009223

## Local controls \*



**1-channel wall transmitter BHz**  
for local BHz motor control.

Packaging per  
1/ Ref 2009078  
100/ Ref 2009079



**1-channel remote control BHz**  
for local BHz motor control.

Packaging per  
1/ Ref 2009072



**5-channel remote control BHz**  
for local BHz motor central control.

Packaging per  
1/ Ref 2009202

\* controls without feedback

## Liveln<sup>2</sup>

### Liveln2 box

Solution for centralised control of Hz/BHz equipment by smartphone or tablet (locally or remotely). Liveln2 application for download (Ios/Android) included.



Packaging per  
1/ Ref 2009201



With feedback

## Satellites Liveln<sup>2</sup>



**Liveln2 scenario BHz transmitter**  
from this control point, the user can directly perform two Liveln2 scenarios that are set in the app.

Packaging per  
1/ Ref 2009225



**Outdoor BHz sun sensor**  
to perform scenario that are set in the Liveln2 app, according to the sunshine on the facade of the house.

Packaging per  
1/ Ref 2009338



**Liveln2 Wifi USB dongle**  
(For installer mode) to set equipments on the Liveln2 app, without having access to the customer's internet network.

Packaging per  
1/ Ref 2009287

For full details about all the products in the BHz range, visit our website [www.simu.com](http://www.simu.com)



E-catalogue



Manuals



Video



Recommendations



FAQ



[www.simu.com](http://www.simu.com)



Committed to you